


Exceptional Lighting Solutions with Extraordinary Savings

LED T-8™ LINEAR TUBE

New! Product Information Data Sheet

LED Advanced Lighting Technology



NT-T8-88000 Series

Technical Data: LED T-8 18W Linear Tube™

Item Number	Watts	Input Line Current	Power Factor	THD	M.O.L. (Inch)	D (Inch)	C (Inch)	Color Temp. (°K)	Ra	Lumens	Lm/W	Energy Savings Replacement For Fluorescent			
												Watts	Lumens	Lm/W	
88018-LED-830-UNV	18	0.160 A	>0.90	<15%	47.8	1.0	47.2	3000°	>80	1700	94	32	2900	90	
88018-LED-850-UNV	18	0.160 A	>0.90	<15%	47.8	1.0	47.2	5000°	>80	1800	100	32	2900	90	

APPLICATION INFORMATION: IDEAL REPLACEMENTS FOR ORDINARY T-8 FLUORESCENT TUBES
LED T-8 TUBES DESIGNED FOR INDOOR USE IN ALL TYPES INDOOR AND OUTDOOR FIXTURES.

Features and Benefits

- * Long Life: 50,000 + hour lifespan exceeds even the highest quality fluorescent tubes
- * Extreme Efficiency: Over 80% more efficient than traditional fluorescent tubes
- * Flicker-Free Lighting: Eliminate eye strain associated with fluorescent lighting
- * Shatter-Proof Design: Will not break even if dropped
- * DO NOT REQUIRE BALLASTS, equals even more energy saving
- * Mercury FREE: Allows the use of tube lighting when mercury contamination is not an option
- * Universal Input Voltage: AC 110~277V
- * No Radiated EMI Interference: Perfect for use where EMI sensitive instruments are used
- * Ideal product for hospital lighting applications
- * Instant Start at any temperature (-30 C to 75 C) or humidity conditions
- * Glare-Free(TM) - made with patented Meso-Lens(TM)
- * UL/cUL Listed
- * RoHS Compliant



Assembled in USA